


RECI YONGLI  
 Tongli HIWIN EFR  
 II-VI Leadshine LASERPWR  
 Trocen S&A PMI Leetro  
 JFLO HAILEA RECI Raycus Meanwell  
 Raytools Maxphotonics SmartRayc S&A  
 Leetro IPG  
 SYNRAD EZCAD Friendless  
 SINO-GALVO MHX Rofin  
 Leadshine  **CLOUDRAY** Ruida  
 Raycus INDUSTRIAL SOLUTIONS Meanwell  
 RECI Focusing Lens Protective Windows  
 Laser Tube Air Compressor Ceramic  
 Power Supply Mechanical Parts  
 Controller Laser Optics Fan F-theta Lens Chiller Nozzles  
 Stepper Motor F-theta Lens Mirrors Galvo Head CO2 Laser  
 Driver Timing Belt Fiber Laser  
 Cable Chain  
 Goggles  
 Fiber Laser

# Catalogue


## Laser Machine

### 目录

1. Fiber Marking Machine.....	3
1.1 LiteMarker.....	3
1.2 ProMarker.....	3
1.3 UltraMarker.....	4
1.4 Intelligent Marking Machine.....	4
1.5 MAX Marking Machine.....	4
2. CO2 Engraving Machine.....	5
2.1 40W CO2 Laser Machine.....	5
2.2 High Power Engraving Machine.....	6
3. CO2 Cutting Machine.....	8
3.1 K Series Regular Section (linear guide).....	8
3.2 AK Series Regular Section (linear guide).....	11
3.3 AKS Series Regular Section (lead screw).....	13
3.4 HQ Series Regular Section (metal cutting).....	14
4. Fiber Cutting Machine.....	16
5. Fiber Cutter Full Set of Accessories.....	18
6. Mixing Machine.....	19
7. Accessories.....	20
7.1 Full Set of Accessories.....	20
7.2 CO2 Machine Accessories.....	20
7.2.1 Universal Wheel.....	20

# 1. Fiber Marking Machine


## 1.1 LiteMarker

	SKU	Power
	FM14LM20WRA	Raycus 20W
	FM14LM30WRA	Raycus 30W
	FM14LM50WRA	Raycus 50W
	FM14LM20WMAXA	MAX 20W
	FM14LM20WIPGA	IPG 20W
	FM14LM30WIPGA	IPG 30W
	FM14LM50WIPGA	IPG50W


## 1.2 ProMarker

	SKU	Power
	FM14LM20WRB	Raycus 20W
	FM14LM30WRB	Raycus 30W
	FM14LM50WRB	Raycus 50W
	FM14LM50WJB	JPT 50W
	FM14LM20WMAXB	MAX 20W
	FM14LM20WIPGB	IPG 20W
	FM14LM30WIPGB	IPG 30W
	FM14LM50WIPGB	IPG 50W


### 1.3 UltraMarker

	SKU	Power
	FM14LM20WRC	Raycus 20W
	FM14LM30WRC	Raycus 30W
	FM14LM50WRD	Raycus 50W
	FM14LM20WMAXC	MAX 20W
	FM14LM20WIPGC	IPG 20W
	FM14LM30WIPGC	IPG 30W
	FM14LM50WIPGD	IPG50W

### 1.4 Intelligent Marking Machine

	SKU	Power
	FM14LM20W	20W
	FM14LM30W	30W

### 1.5 MAX Marking Machine

	SKU	Power
	FM14LM20WMAX	20W

## 2. CO2 Engraving Machine

### 2.1 40W CO2 Laser Machine



SKU	Model	Voltage	Laser Power	Working Area
LEM14SH40WH110A	LM40-A	110V	35-40W	300mm*200mm
LEM14SH40WH220A	LM40-A	220V		
LEM14SH40WH110B	LM40-B	110V		
LEM14SH40WH220B	LM40-B	220V		

## 2.2 High Power Engraving Machine




SKU	Working Table	Specifications
LEM14W2C01	900*600mm	Ruida Controller/90W-100W Reci W2 Laser Tube/ S&A CW3000 Chiller/ 550W Fan/Z-axis Up and Down 160W Air Compressor
LEM14W2C02	1300*900mm	Ruida Controller/ Reci W2 90W-100W Laser Tube/ S&A CW3000 Chiller/ 550W Fan/Z-axis Up and Down
LEM14W2C03	1300*900mm	Ruida Controller/ Reci W2 90W-100W Laser Tube/ S&A CW5000 Chiller/ 550W Fan/Z-axis Up and Down
LEM14W6C01	1300*900mm	Ruida Controller/ Reci W6 Laser Tube/ S&A CW5000 Chiller/ 550W Fan/Z-axis Up and Down
LEM14W6C02	1600*1000mm	Ruida Controller/ Reci W6 Laser Tube*2/ S&A CW5200 Chiller/ 550W Fan/Z-axis Up and Down
LEM14W4C01	1300*900mm	Ruida Controller/ Reci W4 Laser Tube*2/ S&A CW5000 Chiller/ 550W Fan/Z-axis Up and Down
LEM14CR70C01	1300*900mm	Ruida Controller/ CR70 Laser Tube*2/ S&A CW3000 Chiller/ 550W Fan/Z-axis Up and Down
LEM14CR70C02	1300*900mm	Ruida Controller/ CR70 Laser Tube*2/ S&A CW5200 Chiller/ 550W Fan/Z-axis Up and Down/Blade Bed
LEM14CR90C01	1300*900mm	Ruida Controller/ CR90*1/ S&A CW3000 Chiller/ 550W Fan/Z-axis Up and Down
LEM14CR70C03	900*600mm	Ruida Controller/60W CR70 / S&A CW3000 Chiller/ 550W Fan/Z-axis Up and Down 160W Air Compressor/MO Mirrors/ CCD
LEM14W6C03	1600*1000mm	Specification Ruida Controller/ Reci W6 Laser Tube*1/ S&A CW5200 Chiller/ 550W Fan/Z-axis Up and Down
LEM14W4C02	1300*900mm	Ruida 6445G / Reci W4 100W-130W Laser Tube/ S&A CW5000 Chiller/ 750W Fan/Z-axis Up and Down/ 3 phase step motor
LEM14W2C04	1300*900mm	Ruida Controller/ Reci W2 90W-100W Laser Tube/ S&ACW5000 Chiller/ 550W Fan/Z-axis Up and Down 220V with sensor switch on the door and include Ultimate Air Assist Solution
LEM14W2C05	900*600mm	Ruida Controller/ Reci W2 90W-100W Laser Tube/ S&ACW5000 Chiller/ 550W Fan/Z-axis Up and Down 220V with blade and honeycomb
LEM14TR90C01	900*600mm	Ruida 6445G/ TR90 Laser Tube/ S&A CW3000 Chiller/ 550W Fan/Z-axis Up and Down 160W Air Compressor

LEM14W4C03	1300*900mm	Ruida6445G/ Reci W4 Laser Tube/ S&A CW5000 Chiller/ 550W Fan/Z-axis Up and Down
LEM14W6C04	1300*900mm	Ruida6445G/ Reci W6 Laser Tube/ S&A CW5200 Chiller/ 550W Fan/Z-axis Up and Down/Ultimate Air Assist Solution
LEM14W2C06	900*600mm	Ruida Controller/80W-100W Reci W2 Laser Tube/ S&A CW3000 Chiller/ 550W Fan/Z-axis Up and Down 160W Air Compressor
LEM14CR70C04	900*600mm	6445G/ CR70*1/ CW5200/ 550W Fan/Z-axis Up and Down / Ultimate Air Assist / Beam Combiner / Honeycomb / Australian Plug 220V
LEM14W2C07	900*600mm	6445G/ W2*1/ CW5200/ 550W Fan/Z-axis Up and Down / Ultimate Air Assist / Beam Combiner / Honeycomb

### 3. CO2 Cutting Machine

#### 3.1 K Series Regular Section (linear guide)


	SKU	Specifications	Description
 <p><b>CR9060</b></p>	CM52H54A	H54A Laser Tube: Reci W2 90W-100W	Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply ) Chiller: S&A CW3000AG Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52H54B	H54B Laser Tube: Reci W2 90W-100W	Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply ) Chiller: S&A CW5000AG Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52H54R	H54R Laser Tube: Reci W2 90W-100W	Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply ) Chiller: S&A CW3000AG Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan
	CM52H54S	H54S Laser Tube: Reci W2 90W-100W	Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply ) Chiller: S&A CW5000AG Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan



	SKU	Specifications	Description
<p><b>CR1390</b></p> 	CM52H66A	H66A Laser Tube: Cloudray 130W-150W	Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52H66A1	H66A1 Laser Tube: Reci W6 130W-150W	Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W6 130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52H66R	H66R Laser Tube: Cloudray 130W-150W	Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan

	SKU	Specifications	Description
<p><b>CR1610</b></p> 	CM52H76A	H76A Laser Tube: Reci W6 130W-150W	Working Area: 1600x1000mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH
	CM52H76A1	H76A1 Laser Tube: Cloudray130W-150W	Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52H76R	H76R Laser Tube: Cloudray 130W-150W	Working Area: 1600x1000mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan
<p><b>CR1325</b></p> 	CM52H86A	H86A Laser Tube: Cloudray130W-150W	Working Area: 1300x2500mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 86 Motor Driver 135W Air Compressor / 550W Fan
	CM52H86R	H86R Laser Tube: Cloudray130W-150W	Working Area: 1300x2500mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 86 Motor Driver 135W Air Compressor / 550W Fan Automatic feed

### 3.2 AK Series Regular Section (linear guide)

	SKU	Specifications	Description
 <p><b>CR9060L</b></p>	CM52I54A	I54A Laser Tube: Reci W2 90W-100W	Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply ) Chiller: S&A CW3000AG Transmission Parts : Inner Sliding Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52I54B	I54B Laser Tube: Reci W2 90W-100W	Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply ) Chiller: S&A CW5000AG Transmission Parts : Inner Sliding Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52I54R	I54R Laser Tube: Reci W2 90W-100W	Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply ) Chiller: S&A CW3000AG (High-end: CW5000AG) Transmission Parts : Inner Sliding Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan
	CM52I54S	I54S Laser Tube: Reci W2 90W-100W	Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply ) Chiller: S&A CW5000AG Transmission Parts : Inner Sliding Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan

	SKU	Specifications	Description
 <p><b>CR1390L</b></p>	CM52I66A	I66A Laser Tube: Cloudray 130W-150W	Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : Inner Sliding Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52I66R	I66R Laser Tube: Cloudray 130W-150W	Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : Inner Sliding Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan
 <p><b>CR1610L</b></p>	CM52I76A	I76A Laser Tube: Cloudray 130W-150W	Working Area: 1600x1000mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : Inner Sliding Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan
	CM52I76R	I76R Laser Tube: Cloudray 130W-150W	Working Area: 1600x1000mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6445 (Cloudray) Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply ) Chiller: S&A CW5200AH Transmission Parts : Inner Sliding Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers & Motors: Leadshine 3DM580+573S15 Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan

### 3.3 AKS Series Regular Section (lead screw)


	SKU	Specifications	Description
<p><b>CR9060S</b></p> 	CM52J54A	J54A Laser Tube: Reci W2 90W-100W	<p>Working Area: 900x600mm Voltage: 110/220V 50Hz/60Hz            Controller: Ruida RDC6445 (Cloudray)            Laser Tube: Reci W2 90W-100W (MYJG100W Power Supply )            Chiller: S&amp;A CW3000AG            Transmission Parts : Taiwan TBI Ball Screw            Working Table: Blade or Honeycomb            Drivers &amp; Motors: Delta Servo 400W (x axes)+750W (Y axes)            135W Air Compressor / 550W Fan</p>
<p><b>CR1390S</b></p> 	CM52J66A	J66A Laser Tube: Cloudray 130W-150W	<p>Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz            Controller: Ruida RDC6445 (Cloudray)            Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply )            Chiller: S&amp;A CW5200AH            Transmission Parts : Taiwan TBI Ball Screw            Working Table: Blade or Honeycomb            Drivers &amp; Motors: Delta Servo 400W (x axes)+750W (Y axes)            135W Air Compressor / 550W Fan</p>
<p><b>CR1325S</b></p>	CM52J86A	J86A Laser Tube: Cloudray 130W-150W	<p>Working Area: 1300x2500mm Voltage: 110/220V 50Hz/60Hz            Controller: Ruida RDC6445 (Cloudray)            Laser Tube: Cloudray 130W-150W (MYJG150W Power Supply )            Chiller: S&amp;A CW5200AH            Transmission Parts : Taiwan TBI Ball Screw            Working Table: Blade or Honeycomb            Drivers &amp; Motors: Mitsubishi Servo            135W Air Compressor / 550W Fan</p>



### 3.4 HQ Series Regular Section (metal cutting)


	SKU	Specifications	Description
 <p><b>CRM1390</b></p>	CM52M66A	<p><b>M66A</b> Laser Tube: Cloudray 130W</p>	<p>Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 130W (MYJG150W Power Supply ) Chiller: S&amp;ACW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan</p>
	CM52M66R	<p><b>M66R</b> Laser Tube: Cloudray 130W</p>	<p>Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 130W (MYJG150W Power Supply ) Chiller: S&amp;ACW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan</p>
	CM52M6BA	<p><b>M6BA</b> Laser Tube: Cloudray 300W</p>	<p>Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 300W Chiller: CW5300AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan</p>
	CM52M6BR	<p><b>M6BR</b> Laser Tube: Cloudray 300W</p>	<p>Working Area: 1300x900mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 300W Chiller: CW5300AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan</p>

	SKU	Specifications	Description
<p><b>CRM1313</b></p> 	CM52MA6A	<p><b>MA6A</b> Laser Tube: Cloudray 130W</p>	<p>Working Area: 1300x1300mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 130W (MYJG150W Power Supply ) Chiller: S&amp;ACW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 or Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan</p>
<p><b>CRM1610</b></p> 	CM52M76A	<p><b>M76A</b> Laser Tube: Cloudray 130W</p>	<p>Working Area: 1600x1000mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 130W (MYJG150W Power Supply ) Chiller: CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan</p>
	CM52M76R	<p><b>M76R</b> Laser Tube: Cloudray 130W</p>	<p>Working Area: 1600x1000mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 130W (MYJG150W Power Supply ) Chiller: CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 20mm Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 Z-axis Lift suit : Leadshine DMA860H+Leadshine Motor 135W Air Compressor / 550W Fan</p>
<p><b>CRM1325</b></p> 	CM52M86A	<p><b>M86A</b> Laser Tube: Cloudray 130W</p>	<p>Working Area: 1300x2500mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 130W (MYJG150W Power Supply ) Chiller: CW5200AH Transmission Parts : PMI Linear Rail / Timing Belt Width 3M-20 &amp; 5M-40 Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan</p>
	CM52M88A	<p><b>M88A</b> Laser Tube: Cloudray 300W</p>	<p>Working Area: 1300x2500mm Voltage: 110/220V 50Hz/60Hz Controller: Ruida RDC6332M &amp; Live Focus System Laser Tube: Cloudray 300W Chiller: CW5300AH Transmission Parts : PMI Linear Rail / Timing Belt Width 3M-20 &amp; 5M-40 Working Table: Blade or Honeycomb Drivers &amp; Motors: Leadshine 3DM580+573S15 135W Air Compressor / 550W Fan</p>



## 4. Fiber Cutting Machine

	Model	SKU	Power
	CR-F2513A	DY54F1A500A	500W
		DY54F1A750A	750W
		DY54F1A1000A	1000W

	Model	SKU	Power
	3015A	DY54F2A500A	500W
		DY54F2A750A	750W
		DY54F2A1000A	1000W
		DY54F2A1500A	1500W
		DY54F2A2000A	2000W
DY54F2A3000A		3000W	
	3015C	DY54F2C1000A	1000W
		DY54F2C1500A	1500W
		DY54F2C2000A	2000W
		DY54F2C3000A	3000W

	4020C	DY54F4C1000A	1000W
		DY54F4C1500A	1500W
		DY54F4C2000A	2000W
		DY54F4C3000A	3000W




	Model	SKU	Power
	6020A	DY54F6A1000A	1000W
		DY54F6A1500A	1500W
		DY54F6A2000A	2000W
		DY54F6A3000A	3000W
	6020C	DY54F6C1000A	1000W
		DY54F6C1500A	1500W
		DY54F6C2000A	2000W
		DY54F6C3000A	3000W

## 5. Fiber Cutter Full Set of Accessories



SKU		Specifications
LC55MB2KW3015	0-2kW 3015 Machine Body Whole set	Machine Body/ Mechanical Parts/Servo Motor & Driver & Reducers/Industrial Computer/Pneumatic & Water System.
LC55MB2KW3015B	0-2kW 3015 Machine Body Whole set	Machine Body
LC55MB2KW3015C	0-2kW 3015 Machine Body Whole set	Mechanical Parts (Hiwin) + Reducer
LC55MB2KW3015D	3015 Tube Cutting Machine Parts 1kW	FSCUT3000S/S&A CWFL-1000/Raytools BM109/YASCAWA Servo Motors/Hiwin

## 6. Mixing Machine

	Model	SKU	Specifications
	1390	MCM56BS1390	1390 Mixed Cutting Machine ( Belts Set )
		MCM56SSS1390	1390 Mixed Cutting Machine ( Screw Shaft Set )
	1610	MCM56BS1610	1610 Mixed Cutting Machine ( Belts Set )
		MCM56SSS1610	1610 Mixed Cutting Machine ( Screw Shaft Set )
	1325	MCM56BS1325	1325 Mixed Cutting Machine ( Belts Set )
		MCM56SSS1325	1325 Mixed Cutting Machine ( Screw Shaft Set )

## 7. Accessories


### 7.1 Full Set of Accessories



SKU	Model	Specifications
DY15W2IS9060	DIY Laser Machine	W2 Inner Sliding Rail 9060
DY15W2IS1390	DIY Laser Machine	W2 Inner Sliding Rail 1390
DY15CR130IS9060	DIY Laser Machine	CR130 Inner Sliding Rail 9060
DY15RCR70IS9060	DIY Laser Machine	CR70 Inner Sliding Rail 9060
DY15W4IS1390	DIY Laser Machine	W4 Inner Sliding Rail 1390

### 7.2 CO2 Machine Accessories

#### 7.2.1 Universal Wheel

	SKU	Model
	CA532GD60S	GD60